Data collection form: Drowning case

DATE:	
START TIME:	END TIME:
I OCATION:	TEAM 1 or 2 (circle one)

LUCATION:		EAM 1 or 2 (circi	e one,	
METRICS	YES	NO	TIME	LATENT SAFETY THREATS
Proper weight assessed 16-24 kg		Wt. used:		
CPR started in <30 sec				
Backboard used				
Pulse check < 120 sec into case				
IV/IO Placed x 2				
PEA verbalized				
Epinephrine #1 given 1.6 - 2.4 mL IV 1:10K ETT 1:1K < 5min case				
Epinephrine #2 given 1.6 – 2.4 mL IV 1:10K ETT 1:1K 3-5 min after first epi				
Continuous ETCO ₂ monitoring				
Ventricular FIB verbalized				
Defibrillation dose 32-100J				
<10 sec stop/pause CPR preshock				
Defib safety: cleared people/O ₂				
CPR resumed <10 sec DEFIB cont 120sec				
Patient intubated pause CPR <10sec				
Intubation equipment 3.5-4.5 cuffed, 4.5-5.5 uncuffed, 2/3 Miller/Mac				
Correct hand location				
Correct depth				
Adequate recoil				
Compression rate (estimated) 100-120 /min				
Ventilation rate (estimated) 8-10 / min				
ALL CPR cycles < 120 sec				
No provider > 120 NO interruptions > 10 sec				
Count any pause in CPR except pre-shock				
ROSC stated				
Disposition: contacted PICU/transport to				
arrange xfer				
Family presence Parent allowed to stay				
Family centered care				
Team interacted with parent throughout				
Cognitive aid(s) used (circle all that apply	۸۰ Brose	alow emartaho	ne/online ref	code book other none

Cognitive aid(s) used (circle all that apply): Broselow, smartphone/online ref, code book, other, none Other meds given: bicarbonate, amiodarone, RSI meds, epi-infusion NOTES: